Previous references.

Agri 78-07

1908-9V

(Agri)

File No. 608 08

Serial Nos. 9 to 12

Later references.

Agri 71 & 09

Agri 114-12

85 H 2

Rm 5-22-(3,10,15-18)

GENERAL AND REVENUE SECRETARIAT.

Serial Nos. 9 to 12

Part B. for Oct. 09

SUBJECT.

Grant of a loan to Nandi Basaffa and H. J. Basaffa of Holehansowadi, Shimoga Taluk, for purchasing an oil-engine and pump for irrigational purposes.

9) From the Rev: Comr., No 12104 & 27.8.09
Forwards for orders a petition from the aforesaid persons praying that an engine with sufficient power to drive a 4" C.I. pump may be got for them.

10) To the Same, No R 1737 & 24.8.09
States that a 2" C.I. pump has been reported to have been set up by the Executive Engineer, Water-Supply Division, at the request of the petitioners; enquires as to its working etc., and as to whether the petitioners are willing to take as loan Rs 3654 for installing a 10 H.P. oil engine & 4" centrifugal pump to be obtained from ~~Messrs~~ Madras.

P. 2. 0.

G. R. S. 38

11) From the Rev: Comr., № 3697 & 21·9·09
-forwards copy of Shimoga Dy: Comr's letter stating that the petitioners are willing to buy the engine referred to by means of the loan referred to, the amount being repayable in 10 instalments with the usual interest.

12) ~~&~~ To the Rev: Comr and Chief Engr., G.O. № R 3136-7 & 19·10·09.
Sanctions the grant of the loan referred to above and makes certain enquiries re the 2" pump and oil engine.

G.R.S. 11] 1908.

GENERAL AND REVENUE SECRETARIAT.

(Agri)

NOTES.

File No. 60/08

FILE HEADING.

Loan of an oil engine to Nandi Basappa & H.G. Basappa of Holebansvadi, Shimoga Tk, for irrigation purposes -

From

The Rev: Commr.

No. 12104 Dated 27-5-09 Received 28-5-09

Diary No. 7936	Enclos. 1	Spare Copies.	Serial No. 9

BRIEF ABSTRACT OF LETTER.

Forwards for orders of Govt petition from Nandi Basappa and H. G. Basappa of Hole Hansvadi village, praying that an engine with sufficient power to drive a 4" C.J pump may be got for them.

NOTES AND ORDERS.

1) On a previous application from the same petitioners Govt in their No. 5969-71/Agri 7-07-2 of 18-3-08 accorded sanction to the loan for one year of the pump and engine available in P. W. D on condition that Govt should bear the cost of transmitting the engine &c and the petitioners

NOTES—First sheet.

GPB—30,000—20-3-06.

G.R. S. 12]
General and Revenue Secretariat.

File No. 60 of 1908

Serial No.

to bear the cost of working the engine in-cluding the pay of the working staff employed therein. The petitioners state that the engine now installed in their estate by the P.W.D is unable to drive either 4" or 3" C.I pumps, that the P.W.D are now using a 2" C.I pump which cannot raise sufficient water for their irrigation purposes and therefore pray that another engine with sufficient power to drive a 4" C.I pump may be got for them on the following conditions:-

(1) The engine should be bought from a firm they indicate,

(2) it should be installed and worked successfully in their estate for one year,

(3) & if the working of the engine be found satisfactory they would bear the working charges and buy the engine at its cost price including charges of its transmission and installation by borrowing the amount from Govt and repaying it in 10 equal annual instalments.

4) The Rev: Commr recommends the petitioners prayer for to the favourable consideration of Govt.

Submitted for orders.

GRL 2/6/09.

Forwarded with the CA

BK 2/6/09

New No. 153
8.6.09

NOTE—Contn. sheet.

GPB—50,000—18-5-08

G. R. S. 12]
General and Revenue Secretariat.

Agri File No. 60 of 1908

Serial No.

Enquire for favour of opinion whether as stated by the petitioners the engine and pump supplied to them are not suitable for irrigating the land & if so, what is the cause. Is any other pump & engine, which would be more suitable available? The cost of getting an engine & pump which would answer the requirements of the petitioners & the name of firm who could be able to supply them, may also be stated.

B-6

Petty Diwan

6-6-09

In Secretary

I put up a report received from the Executive Engr; W.S. & Stores Divn., which explains in detail the case under reference. I agree with the Exe: Engineer in the suggestion made in the concluding para of his report as we have not got now a bigger plant to meet the requirements of the petitioners. A new 4" Pump & a 10 HP oil Engine including setting &c. will cost about Rupees 3,654/—

× Ref Z
P.W.D. No. 102
of 5-6-09

4/13/11

Camp Mysore.
8-8-09

Secretary
Office Chief Engineer
of Mysore

NOTE—Contn. sheet.

GPB—50,000—18-5-08

No 351
E. Sketch

SECRETARY'S DEPT.
REG'D No. 1406
MYSORE P. W. DEPT.

4

Office of the Executive Engineer,
Water Supply & Stores Division,
Dated 15th June 1909

From,

The Executive Engineer,
Water Supply & Stores Division,
Bangalore.

To,

The Chief Engineer
of Mysore,

Sir,

5 Chief Engineer's no 4608 dated 11.6.09 forwarding for report Revenue Commissioner's no 12104 dated 25 to 27 may 1909 regarding the oil Engine plant at Kunnawadi Village, Shimoga District, and requesting that a higher horse Engine to drive a 4" Centrifugal pump may be obtained for Naude Basappa & H. G. Basappa &c

---

6. With reference to the above, I have the honor to submit herewith a dimensioned Sketch showing the level at which the pump is installed, its Suction and delivery. It will be seen from this that the suction is 18 feet and delivery 18 feet. The plant originally recommended by me in Consultation with Dr Lehmann was a

5

a 6½ H.P. oil Engine and a 3" Centrifugal pump for Experimental purposes, Vide letter no 829 dated 16th February 1906 from the Agricultural Chemist to the General and Revenue Secretary. When the Sanction for the installation of the plant was received, I had no 6½ H.P oil Engine available but I had a 5 H.P oil Engine and which I arranged to install with a 3" Centrifugal pump. I had my doubts regarding the Capability of this Engine to work the pump but I resolved to try it as the information given in Richardson and Cruddas Calalogue page 36 stated that an Engine from 3 to 4 H.P will be able to run it.

6 My trial to work the 3" pump was not successful as the Engine power was not Enough for the purpose. I therefore resolved to try a smaller pump with this Engine. The next available size was a 2" Centrifugal pump and as one was got for the Jewell Filters to pump the from Dirty water well, I decided to send this to Shimoga for trial.

7 In the meantime the land owner who had come to Bangalore was informed how the matter stood there and he gave me to understand that he will be thankful if 2" pump be erected soon. He also requested me to lend him a Steam Engine to work the 3" pump till such time as the 2" pump arrived. So I arranged to take from Shimoga Division a portable Steam Engine and erected this to work a 4" Centrifugal pump. This was set up by Subbarayan Narasimhaiya and was worked for 3 days by him. He then handed it over to the Landowner for further working. The Landowner worked this for a few days when he broke the Pump.

Draft

What power?

Sheaft and sent away the sheaft to the workshop with a report of the occurrence. He said the sheaft broke while he was using the hammer

W Me 2" Centrifugal pump originally ordered for the Jewell Filter, now arrived. I sent it to Shimoga, and arranged to have it set up. This was Completed last week and is now quite ready for work.

U Summing up the above the facts are: —

(1) Me original intention of the Government was to erect a plant for Experimental purposes from the plant available in the Department. See General Secretary's No 7744 / Agri 63-05-13 dated 26.12.05.

Hog. Y

(2) The original plant recommended by me in Consultation with Dr Lehman is 6½ HP Engine and 3" Centrifugal pump.

(3) Since the 6½ HP Engine was not available, a 5 HP one which was available was installed.

(4) That the Landowner and the Revenue Commissioner were fully aware from the beginning that only a 5 HP Engine was to be used.

(5) A pump Capable of being driven by this 5HP Engine is only 2" Centrifugal pump.

(6). Me Landowner assured me personally that he will be satisfied if the installation with 2" pump [illegible]

before as the selling up was for
Experimental purposes.

It is therefore strange that the Landowner
Basappa should now at this stage object to
the use of 2" Centrifugal pump, when he told
me personally that he will be quite satisfied
if his statement of having lost 2 to 3 hundred
rupees on seedlings is not understood as I
cannot see how the man could investon
seedlings long before he was assured of the
quantity of water available.

In Conclusion I beg to state that
the above facts will make it clear to the Chief
Engineer that I have all along tried to help the
Landowner in selling a plant that was
available. If he is not satisfied with the
plant on account of the small horsepower
Engine a bigger plant Consisting of 4" Centrifugal
pump and 10 B.H.P oil Engine Can be ordered
from messrs Massey & Co, Madras, who have
a stock of these and installed if funds
are forth Coming. But before I will undertake
any further work for the Landowner, I request
the Chief Engineer that he will make it clear
to the Landowner through the Revenue Commis-
-sioner that he should not interfere with the
Selling of the plant till it is finally tested and
tried for 3 days. He Can then be asked

to take over the plant from this department
or ee for all for further working.

Yours most obedient servant,

V Ringaswamy
Executive Engineer,
Water Supply & Stores Division,
Bangalore.



V. Ranganathan
Executive Engineer,
Water Supply & Stores Division,
Bangalore.

68
15-6-49

6

Serial No.

(4) Submitted for orders
TSR
16/8/09

SK
17/8/09

(5) Please call for a report from the Rev Commr as to how the 2 inch centrifugal pump which has set up last week is working & what is the extent of irrigation which could be depended on from it. If the P.W.D. has no oil engine with suffcient horse-power to spare it will be necessary to buy one & it is stated that a 4" centrifugal pump & 110 HP oil engine which can be had at Bombay Rs would cost Rs 3865/-.
~~If these could not be got at~~ or if
~~except~~ & these have to be obtained solely for purposes of irrigation the Petitioners may be asked if they are willing to take the amount as a loan on ~~long~~ giving sufficient security the P.W.D. giving them the necessary assistance to set them up & work them.

SK
17/8/09

NOTE—Contn. sheet

GPB—50,000—25-2-07

G. R. S. 12]
General and Revenue Secretariat.

Agn File No. 60 of 1908

4

Serial No.	
	(1) Submitted with a draft. TSR 19/8/09. Secn 19/8/09
Secn	AK 19/8/09
10	To The Revl. Commr in Mysore. No. R 1737 dt 24.8-09. States that it has been reported that a 2" centrifugal pump has now been set up by the Executive Engr Irrigation Dvn at the request of the petitioners; and requests to be informed as to how this pump is working and the extent which it could irrigate; and as to whether the petitioners are willing to take as loan an amount of Rs 3654 required for installing a 10 H.P. oil Engine & 4" centrifugal pump to be obtained from Messrs Massey & Co. Madras,
11.	From the Revl Commr. No. 3697 dt 21.9.09 Forwards copy of Shimoga Dy Commr's letter stating that the petitioners are willing to buy the Engine referred to by taking the amount required for installing it viz Rs 3654 as a loan repayable in 10 instalments with the usual interest.

NOTE—Contn. sheet.

GPB—50,000—18-5 08

G. R. S. 12]
General and Revenue Secretariat.

Agn. File No. 60 of 1908

Hag. R

Serial No.

The asked for as to how 2" Centrifugal pump now installed is working and what extent of land is being irrigated, has not been furnished. These are not perhaps very material in case a new pump has to be obtained

× 7 Hag. 0

× In their original petition to the Rev. Comr the petitioners stated that the Engine to work 4" Centrifugal pumps should be obtained from such firm as they would indicate. In the proposal

× Hag R

made in this office letter no (dt 10) the Rev. Comr was asked to state whether the petitioners would be willing to accept an Engine from Messrs Harvey & Co, Madras treating its cost as a loan on proper security. The statement

Hag. N

which the petitioners have now made before the Dy Comr as well as the Rev Comr's letter are silent in the matter. Probably the petitioners are willing to take the Engine on the condition on which it is proposed to be obtained for them.

Submitted for orders.

TSK
30/9/09.

BK
30/9/09

NOTE—Contn. sheet.

PB—55,000—27-4-08

G. R. S. 12]
General and Revenue
Secretariat.

Agri File No. 60 of 1908.

13

Serial No.

19 Please look up a draft stating that a loan may be sanctioned for the purchase of the Engine & Pump under the conditions agreed to by the Petitioners. Do order that the experiment may fully succeed the Petitioners should be induced to let the plant through the P.W.D. and use their services in installing it & starting it to work properly. Information should be furnished as to the extent which a 2" Centrifugal Pump is capable of irrigating & whether there would be any use in continuing the experiment elsewhere

K.
1/10/09

Submitted with a draft

for

6/10/09. Secy/ Dr 7/10/09

AK 6/10/09

2892 9.10.09

Rajarathnam

Dr 12/10

Dr 13/10/09

Note—Contn. sheet.

GPB—55,000—27-4-09

G. R. B. 12]
General and Revenue Secretariat.

Agri File No. 60 of 190 8

14

Serial No.

12

To

The Rev. Comr

" Chief Engineer

No R 3136·7. Dy 19. 10. 09

Sanctions the loan of Rs 3654 to the petitioners under A. I Loans Regn, repayable in ten equal annual instalments together with interest in order that a 4" C.I. pump & a 10. H.P. oil Engine may be purchased for being installed on the petitioners' lands. Requests the Chief Engineer to ascertain and report what extent of land do the 2" pumps & the Engine already in use irrigate & whether there would be any benefit in Continuing to demonstrate the working in the locality where they are installed or anywhere else in the vicinity of Shimoga

NOTE—Contn. sheet.

GPB—55,000—27-4-09

No. 12104

OFFICE OF THE REV. COMR. IN MYSORE,

Bangalore, 25th May 1909 ~~190~~

25

FROM

Rajakarya Pravina,
A. RANGASWAMI IYENGAR, ESQ., B. A., B. L.,
Revenue Commissioner in Mysore.

TO

The Secretary to the Government of
His Highness the Maharaja of Mysore,
General & Revenue Departments.

SIR,

19

Adverting to Government Order No.R.5969-71/Agri 78-07-8 dated 18th March 1908 according sanction to the loan for one year of the Pump and Engine available in Public Works Department, to Nandi Basappa and H.G. Basappa landed proprietors in the Hole Hanswadi village, Shimoga Taluk, I have the honor to forward herewith for orders of Government petition registered No. 14,623 dated 19th May 1909 received from the above named persons stating that the Engine now installed in their Estate by the Public Works Department is unable to drive either 4" or 3"C.F. pump and that the Public Works Department are now trying a 2" C.F.pump which cannot raise sufficient water for their irrigation purposes. They pray that another engine with sufficient power to drive a 4" C.F. pump may be got for them. They propose that if a good engine be bought from a firm they may indicate and installed and worked for one year successfully and the working of the engine be found satisfactory they would bear the working charge and buy the engine at its cost price including charges of its transmission and installation by borrowing the amount as a Takavi loan from Government on condition of repaying it with the usual interest in ten annual equal instalments.

2. In view to the necessity of demonstrating the possiblities of any oil engine for irrigation I would recommend the petitioners' prayer to the favourable consideration of Government.

I have the honor to be,

Sir,

Your most obedient servant,

K Subba Rao

For Revenue Commissioner.

B.L.

Rev. Comr.
Form 12.

SECRETARY'S OFFICE
REG'D NO. 4062
MYSORE P.W. DEPT.

7936

From

Rajakarya Pravina,

A. RANGASWAMI IYENGAR Esq., B.A., B.L.,

Revenue Commissioner

in Mysore.

To

The Secretary to the Government of
H. H. the Maharaja of Mysore,
General & Revenue Departments.

Dated

Despatched 29 May 09.

Received

No. 1210C

Enclosure No.

Forwarding petition for the orders of Government Registered No. 14623 dated 19th May 1909, received from the above named Nandi Basappa and H. G. Basappa of the Hole Hanswadi village praying that an Engine with sufficient power to drive a 4". c. g. pump may be got for them, etc.

Caxton Press, Bangalore,—2000-2-09

SECRETARY'S OFFICE
REG'D NO. 4064
MYSORE P. W. DEPT.

OFFICE OF THE
No. 1023
Date
BANGALORE
2

ಈ ನಿರ್ಧಾರವನ್ನು ಕೈಗೊಳ್ಳಲು ಕಾರಣವೇನೆಂದರೆ:—

ಶಿವಮೊಗ್ಗಾಕಾಲ್ವೆಯಲ್ಲಿ ಕೈಗೊಂಡಿರುವ ಸಣ್ಣ ಪಂಪುಗಳ ಪರೀಕ್ಷೆಯ ಮೇಲೆ ಮತ್ತು H.G. ಬಿಡಪ್ಪ ಬರೆದುಕೊಂಡಿರುವ ಪತ್ರ ದಿನಾಂಕ 19/5/09.

1. ಗವರ್ನಮೆಂಟು ಆರ್ಡರು (R 5969-71 Dated Agri 78-04-2 Bangalore 18th March 1908) ಮೇರೆಗೆ ಈ ಕೆಲಸವನ್ನು ಮಾಡಿರುವ D. P. W. ಆಫೀಸಿನವರು ಕೈಗೊಂಡಿರುವ ನಮ್ಮ ಎರಡು ಪರೀಕ್ಷೆಗಳಲ್ಲಿ ಕಂಡುಬಂದಿರುವ ಫಲಿತಾಂಶಗಳ ಮೇರೆಗೆ 5 H.P. Asthmoyd ಆಯಿಲ್ ಎಂಜಿನ್ನನ್ನು ಇಟ್ಟು ಮೊದಲು 4 ಇಂಚು ನಿಂತಿಪ್ಪಗಳನ್ನು ತೆಗೆದುಹಾಕಿದೆವು ಅನಂತರ 3 ಇಂಚಿನ ಪಂಪಿನಿಂದ ಗುಳ್ಳೆಗಾಡಿಸಿ ನಡೆಸುವದಕ್ಕೆ ಯತ್ನಿಸಿದ್ದರಲ್ಲಿ ಅವರು ಕಂಡಿಷಿಯಾಗುವ ಪಂಪನ್ನು ಆಗಲೀ ಎಂಜಿನ್ನನ್ನು ನಡೆಸಲಾಗದೆ ದ್ರೋದ್ಯಕ್ಕಿಂದ ಕೆಳಗೆ 2 ಇಂಚಿನ ಸೆ.ಗ. ಪಂಪನ್ನು ಜೋಡಿಸುವಂತೆ ಹೇಳಿದ್ದರಿಂದ ಮೊದಲು ಪಕ್ಕ 2" ಸೆ.ಗ. ಪಂಪು ನಿಂತಿನ್ನೆತಿದ್ದರೂ ಅಷ್ಟು ಸ್ವಲ್ಪ ನೀರಿನಿಂದ ಇಡಬಲ್ಲದಾದ ಬೆಳ್ಳಿಯು ಎಂಜಿನ್ನನ್ನು ನಿಲ್ಲಿಸುವದಕ್ಕೆ ಕಾರಣವಾಗಿರುವದರಿಂದ ಪಂಪಿನ ಪೈಪಿನ್ನು ಕೂಡಿಸಿಕೊಂಡಿರಲಾಗದೆಂದು ನಮಗೆ ತೋರುತ್ತದೆ. ಅಲ್ಲದೆ " for irrigation work it is not convenient to employ anything smaller than a 3-inch centrifugal Pump " ಎಂದು ಮದ್ರಾಸಿನ ಕಾರ್ಯನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರರು 80-90 ಎಂಎಂ

ತಕ್ಷಣವೇ ಅನುಭವಶಾಲಿಗಳಾದ Mr. Alfred Chatterton ನವರು ಅವರ Lift Irrigation ಎಂಬ ಗ್ರಂಥದಲ್ಲಿರುವಂತೆ ಸಾಮಾನ್ಯವಾಗಿ 20 ಅಡಿ ಆಳದಲ್ಲಿಯೇ ನೀರು ಸಿಕ್ಕುವ ಅದೇ ಆಳದಲ್ಲಿ ಯಾ 3 ಇಂಚಿನಷ್ಟು ಕೆ.ಸಿ. ಕುಸಿತ ಆಗುವುದಾಗಿ ಲೆಕ್ಕಾಚಾರ ಹಾಕಿಕೊಂಡು ಪ್ರಯತ್ನದಲ್ಲಿ 30 - 32 ಅಡಿಯಷ್ಟಾದರೂ ನೀರನ್ನು ಎತ್ತಿಹಿಡಿಯಬಲ್ಲ ನಮಗೆ 2 ಇಂಚಿನಷ್ಟು ಪಂಪು ಇನ್ನಿಡಿಸಿದ್ದು ಅವಾಗಲೂ ಪಾದದ್ದೊಂದು ಸನ್ನಿಧಾನಕ್ಕೆ ಅರಿಕೆಮಾಡಬೇಕಾಗಿದ್ದು. ಆಗ 2-3 ತಿಂಗಳಿಂದ ವೃಥಾ ಪರಿಶ್ರಮ ಧನಕನಕಗಳ(Experiments) ಕಾಲಹರಣಾದಿ ಸು 500-600 ರುಪ್ಯೆ ನಷ್ಟಪಡೆಂದಿರುವ ನಾನು ಮುಂದೆಯೂ 2 ಇಂಚಿನಷ್ಟನ್ನು ಲಾಭವಿಲ್ಲದೆ ನಡೆಸುತ್ತಾ ಇರಬೇಕಾಗಿ ಬಂದಿದ್ದ.

ಈ ಸಂದರ್ಭದಲ್ಲಿ ನಾನು ಸನ್ನಿಧಾನವನ್ನು ಅಶ್ವಾಕಾಸನಯುಗಾವರ್ಕವಾಗಿ ಪ್ರಾರ್ಥಿಸುವುದೇನಂದರೆ ಮೊದಲೇ ನಾನು ಕೊಳವೆ ಬಾವಿ ಕೊರೆಸಿದ್ದಾಗಲೀ 4 ಇಂಚು ಸೋಲ್ಡ್ ಪೈಪುಗಳಿರುವುದನ್ನೂ ಅದಕ್ಕೆ ತಕ್ಕ Horse Power Arkmoy Gil ಎಂಜಿನ್ನನ್ನು ಸಹಕಾರದವರು ಒಂದುವರ್ಷದ ಅಥವಾ ಒಂದು ಬೆಳೆಯನ್ನು ತೆಗೆಯುವಷ್ಟರಲ್ಲಿ ಅಷ್ಟು ಆಳದಲ್ಲಿ ನೀರು ಸಿಕ್ಕುವಂತೆ ಮಾಡಿಕೊಡಲು ಸಾಧ್ಯವಾಗಿರುತ್ತದೆ. ಇಷ್ಟು ಹಣವಿಲ್ಲದೆ ಬೇರೆಯವರಲ್ಲಿ ಸಾಲ ಮಾಡಿದರೂ ಸಾಲದಾಗುವಂತೆ Machinery ಯ Transmission ಮತ್ತು Erection ಕಾರ್ಯಗಳನ್ನು ಸಹಕಾರದವರೇ ದಯವಿಟ್ಟು ಮಾಡಿಕೊಡುವರೆಂದು

ಹೇಳಿಕೆಗಳನ್ನೂ ಬಿಡುಗಡೆ ಮಾಡುತ್ತೇವೆ. ಅಲ್ಲದೆ Engine ಮತ್ತು ಪಂಪು ಕೈಮಿಕ್ಕಿಕವಾಗಿ ಕೆಲಸ ಮಾಡುವವರಿಗೂ ಅವನ್ನು ನಡೆಯಿಸಿ ಸುಪ್ರದುಸ್ತಾಗಿರುವುದು ಕಷ್ಟವೆಂದು ಸಹಕಾರಿ ಮಿಲಿಕೆ ನಿಂದಾಲಕರಿಗೆ ಅಗಾಗ್ಗೆ ತರಬೇತಿ ಶಿಬಿರಗಳನ್ನು ಏರ್ಪಡಿಸುತ್ತೇವೆ. ಅನಂತರ ಎಂಜಿನ್ನು ಪಂಪನ್ನು ನಾವೇ ನಡೆಸಿಕೊಂಡು ಬಳಸುವುದಲ್ಲದೆ ಅದಕ್ಕೆ ಬಾಡಿಗೆ Working Charges ನ್ನು ನಾವೇ ವಸೂಲು ಮಾಡುತ್ತೇವೆ. ಎಕ್ಸಪೆರಿಮೆಂಟಿಗಾಗಿ ಅವಧಿಯೊಳಗೆ ಸಿದ್ಧವಾದ ನಂತರ ಎಂಜಿನ್ನಿನ ಮೂಲಕ ನೀರಾವರಿಯ ಪದ್ಧತಿಯಿಂದ ಬೆಳೆಗಳಿಗೆ ನೀರು ಹಾಯಿಸಿದ ಅನುಭವವನ್ನು ಪಡೆದುಕೊಂಡ ಸಹಕಾರಿ ಸಂಘಗಳ ಸದಸ್ಯರಿಗೆ ಮಾತ್ರ ಸಹಕಾರಿ ಬ್ಯಾಂಕುಗಳಿಂದ ಸಾಲ ಸೌಲಭ್ಯವನ್ನು ಕಲ್ಪಿಸಲು ಒಂದೊಂದು ವರ್ಷದಲ್ಲಿ 15 ಇಂಜಿನ್ನುಗಳಿಗೆ ಮಂಜೂರಾತಿಯನ್ನು ಸಹಕಾರಿ ಬ್ಯಾಂಕುಗಳವರು ದಯವಿಟ್ಟು ಮಂಜೂರು ಮಾಡಬೇಕೆಂದು ಪ್ರಾರ್ಥಿಸುತ್ತೇವೆ.

3. ಕಾಗ್ಗಲ್ ಎಂಜಿನ್ನಿಂದ ನೀರಾವರಿ ಪದ್ಧತಿಯ ಪ್ರಯೋಗ ಮಾಡಿ Experiment ನಿಂದ ಹೊಗಳುವಷ್ಟರಲ್ಲಿ ದೇಶದ ವ್ಯವಸಾಯಗಾರರೊಳಗೆ ಬೆಳೆಗಳಿಗೆ ಎಷ್ಟು ನೀರಾವರಿಯ ಅವಶ್ಯವಾಗುವುದೆಂದು ನಾವು ಅರಿಕೆ ಮಾಡಬೇಕಾಗಿಲ್ಲ. ಈ ಸಾಲಿನಲ್ಲಿ ಕೈಗೊಂಡಿರುವ ಪ್ರಯೋಗಗಳಿಂದ ಬಂದ ಅನುಭವಗಳಿಂದ ಮುಂದಿನ ಸಾಲಿನಲ್ಲಿ ಕೈಗೊಳ್ಳಬೇಕಾದ ಕಾರ್ಯಕ್ರಮಗಳನ್ನು ಸಿದ್ಧಪಡಿಸಿಕೊಳ್ಳಲಾಗುವುದು. ಇದಲ್ಲದೆ

ರದ್ದೊಡ್ಡಜಮೀನುದಾರರು ಆಫೀಸಕ್ಕೂ ಹೋಗಿ
ಸ್ಥಿರವಾಗಿ ಕೆಲಸ ನಡೆಯುತ್ತಿರಬಹುದೆಂದು
ಬಂದು ಸೇರಿ ಅಲ್ಪಕ್ಕಾಗಿ ಯೋಗಾಶ್ರಿರುವ
ರು. ಆದ್ದರಿಂದ ಸಹಕಾರದವರು ನಮ್ಮ ಎಸ್ಟೇ
ಟಿನಲ್ಲಿ ಮಾಡುತ್ತಿರುವ ಪ್ರಯತ್ನದಿಂದ ನಾವು
ಅಕ್ಕಿ ಪದೇ ಪದೇ ಬರುತ್ತಿರುವ ಕ್ಷಾಮವನ್ನು ಕೀಳಿ
ಯುವ್ನನ್ನ ಶಪಸ್ಸಿವ ದೊಡ್ಡ ನಾವೂ ನಿಶ್ಚಯ
ಮಾಡಿಕೊಂಡಿದ್ದ ನಮ್ಮ ಆಳಿಯ ವ್ಯವಹಾರ
ದಂತೆಯೂ ದೇಶದವರ ನಿರೀಕ್ಷೆಗೆ ಸಂಪೂರ್ಣ
ವಾಗುವಂತೆಯೂ ಮೇಲೆ ನಾವ್ಯಮಾಡಿಕೊಂಡಿ
ರುವ ವ್ಯವಸ್ಥೆಯನ್ನು ಮಂಜೂರುಮಾಡಿಸಿ
ಸಾಧ್ಯವಾದಷ್ಟು ಶೀಘ್ರವಾಗಿ ಜಾರಿಯಲ್ಲಿಸ
ಲಿರುವಂತೆ ದಯವಿಟ್ಟು ವಿಚಾರಿಸಿಬರೀಕಾ
ಗಿ ಅತ್ಯಂತ ವಿನಯದಿಂದ ಪ್ರಾರ್ಥಿಸುತ್ತೇವೆಮುಂಜ್ಞಾವಿ

ಗಂಡಿಬಸ್ಸಪ್ಪ

H.G. Basappa

ಶಾಖಾಂಶಂ - ಪೋಲಾಬರಿದಿರುವ ಅಕ್ಷಿಂಯುಕ್ತಿ ಕೆಲವುವಿ
ದಲಾವಣ್ಣಗಳನ್ನ ಮಾಡಲು ರಜಂಕ್ ಕೆವೆನ್ಷನ್‌ಮಾಪ್
ನೋನಿಷ್ಠೆ ಬರದರ ರಂಗಿಬರುಂಬು ನಾವುಟ್ಟಿಪೋಡು
ಮೇರಳೆ ಈ ಕೆಳಗಿನ ನಮೂದಿರುವ ವೇರಳೆಬಿದ
ಲಾವಣ್ಣಗಳಿವೆಂಡಿರುತ್ತೆವೆ.

೬" Centrifugal Pump ನ್ನ ವರ್ಟಿಕಾ
ಕಲ್ ೬ Oil Engine ಎಂಜಿನ್ನ ನಾವು ಖರೀದಿಸಿ
ದೆಂಡಿರುವಂತೆ ನಾಲ್ಕಾಂದ ಸಹಕಾರದವರ್ಗೆ ಕಳಿಸಿ
ನವಸ್ಥಳ ಸ್ಟೇಟಿನಲ್ಲಿಡಿಸಿ ಹಿಂದುವರ್ಷದ ವರೆಗೂ
ಅಭಿವೃದ್ಧಿಪಡಿಸಿ ಕೆಲಸ ನಡೆಸಿಕೊಂಡ

ಕಛೇರಿಯಲ್ಲಿ ಸಾಮಾನ್ಯವಾಗಿ ಕೆಲಸ ನಡೆಯುತ್ತಿರಬಹುದೆಂದು
ನಿಶ್ಚಯಿಸಿ ಅಲ್ಲಿಗೆ ಹೋಗಿ ಅಲ್ಲಿ ಕೆಲಸ ಮಾಡುತ್ತಿರುವ
ರು. ಆದ್ದರಿಂದ ಸಹೋದರರವರು ನಮ್ಮಲ್ಲಿಗೆ
ಬಂದು ಮಾತನಾಡುತ್ತಿರುವ ಪ್ರಯುಕ್ತದಿಂದ ನಾವು
ಅವರನ್ನು ಪದೇ ಪದೇ ಬರುತ್ತಿರುವ ಕ್ರಮವನ್ನು ಕುರಿತು
ಯುನ್ನತ ಶಿಷ್ಟಪದವು ನಮ್ಮಾಜ್ಞೆಯನ್ನು
ಮಾಡಿಕೊಂಡಿದ್ದ ನಮ್ಮ ಆಶೆಯು ವೃದ್ಧಿಯಾಗ
ದಂತೆಯೂ ದೋಷದವರ ನಿರೀಕ್ಷಣೆಗೆ ಸಂಪೂರ್ಣ
ವಾಗುವಂತೆಯೂ ಮೇಲೆ ನಾವು ಮಾಡಿಕೊಂಡಿ
ರುವ ಪೈಪ್‌ಗಳನ್ನು ಮಂಜೂರು ಮಾಡಿಸಿ
ಸಾಧ್ಯವಾದಷ್ಟು ಶೀಘ್ರವಾಗಿ ಜಾಕಿಯನ್ನಿಸಿ
ಕೊಡುವಂತೆ ದಯವಿಟ್ಟು ವಿನಂತಿಸಿಕೊಳ್ಳುವೆವು.
ಇತಿ ಅತ್ಯಂತ ವಿನಯದಿಂದ ಪ್ರಾರ್ಥಿಸುತ್ತೇವೆಮಂಜಿಪ್ಪಾ.

ಗೌರವಪೂರ್ವಕ

H. G. Basappa

ಶಾಸ್ತ್ರಾಂಶಂ - ಪೋಲಾಬರದಿರುವ ಅಡಿಕೆಯನ್ನು ಕೆಲವು ದಿವಸಗಳಿಗೆ ಧನ್ಯವಾದಗಳು ಮತ್ತು ಕೆಲವೊಮ್ಮೆ ನೋಡಿ ಹೋದರೆ ಕಾಣುವುದಿಲ್ಲ ನಾವು ಬಿಚ್ಚಿಹೋಡುವ ಮೇರೆಗೆ ಈ ಕೆಲಸವನ್ನು ನಡೆಯುವ ವೇಗ ಕಡಿಮೆಯಾದ ಅನಿವಾರ್ಯವೆಂದು ತಿಳಿಸುತ್ತೇವೆ.

೬" Centrifugal Pump ನ್ನು ಮತ್ತು
೬ ಕ್ಕೆ Oil Engine ಎಂಜಿನ್ನನ್ನು ನಾವು ಮೊದಲೇ
ಕೊಂಡುಹೋಗಿರುವಂತೆ ನಮ್ಮಿಂದ ನಿಶ್ಚಿತವಾಗಿ
ನಮ್ಮಲ್ಲಿಗೆ ಬಂದು ಒಂದು ವರ್ಷದ ವರೆಗೂ
ಅಭಿವೃದ್ಧಿಯಾಗಿ ಕೆಲಸ ನಡೆಸಿಕೊಡುತ್ತ

ಬೇಕು. ಇದಕ್ಕೆ ಕಂಗಲಾಚಕ್ಕೆ Working Charges ನ್ನು ನಾವೇ
ವಹಿಸಬೇಕಾಗುತ್ತದೆ. ಐದು ವರ್ಷದ ನಂತರ ವಿಂಡಿಸಿನ್ನು ಮಿಂದು
ಶೈಕ್ಷಣಿಕವಾಗಿ ಲಾಭದಾಯಕವಾಗಿಬಹುದೆಂದು ಕೆಲವರು ಅಭಿಪ್ರಾಯಪಟ್ಟಿದ್ದಾರೆ.
ಕಂಗಲಾಚಕ್ಕೆ ಬರುವ ಖರ್ಚಿನಲ್ಲಿ ಮುಕ್ಕಾಲು ಭಾಗವನ್ನು ಮಿಂಡಿಸಿನ
Erection Charges ನ್ನು ನಾವೇ ಭರಿಸಬೇಕಾಗಿದೆ. ಸದರಿ ಯೋಜನೆಯನ್ನು
Land Improvement loans Rules ಪ್ರಕಾರ ಕೈಗೆತ್ತಿಕೊಳ್ಳಲು
ವರ್ಷಗಳ ಕಂತಿನಲ್ಲಿ ಸಾಲ ಕಂಗಲಾಚಕ್ಕೆ ಪಾವತಿಮಾಡಲು
ಸಾಧ್ಯವೇ. ಆದ್ದರಿಂದ ಮಿಂಡಿಸಿನ ಲಾಭದಾಯಕವು ಇದಕ್ಕೆ ಕೆಲ್ಸ ನಡಾಯು
ವಂತಾಗಬೇಕಾಗಿ ಬೇಡಿಕೊಳ್ಳುತ್ತೇವೆ.

19/5/09.

H. G. Basappa

G.R.S. 26]

File No. 6
Serial No. 10

Diary No. of letter replied to 7736

No. R. 7355

General and Revenue Secretariat
( )
, the 190

To The Rev. Comer

Date of issue 24/8/1909

Signed by P. G. D'Souza for

Sir

With reference to your letter No 12104 dt 25.5.09 forwarding for favourable Consideration a petition from Nandi Basappa and H. B. Basappa of the Hale Hunswadi Village praying for the installation of an oil Engine & ~~Pump~~ driving a 6" C.I. Centrifugal pump, I am directed to state that it has been reported by the Executive Engineer Water Supply & Sewerage Division, Bangalore, that a 2" C.I. pump has been set up ~~in working~~

P.T. over.

(which is herewith returned)

SUBJECT.

& the regd
order on personal representations
of the petitioners and to
request you to be so good
as to report how this
pump has been working
and what is the extent
which it can irrigate.
I am to add that the
P.W.D has no 10 H.P oil
Engine to spare for
driving 6" Centrifugal pump
and that one can be had
from Messrs Massey & Co
Madras at a cost of
Rs 3654 including installation
charges. As this will be useful
chiefly to the petitioners
for irrigation I am
to request you to report
after consulting the
petitioners if they will
take the above mentioned
amount as a loan
furnishing sufficient
security upon the

List of enclosures,

Copied by

Examined by

GPB—10,000—28-5-06

G.R.S. 27]

GENERAL AND REVENUE SECRETARIAT.

(*Continuation Sheet draft form.*)

assessment that the P.W.D
with giving them the necessary
help to set up the engine
and the pumps & Shown
them how to work them
I have &c

For Secretary.

BK

&
15/8/17

Agr 60-08-11

10

No. 3697-2

OFFICE OF THE REV. COMR. IN MYSORE,

Bangalore, Dated 21st September 190 9

238

FROM

Rajakarya Pravina,
A. RANGASWAMI IYENGAR, ESQ., B. A., B. L.,
Revenue Commissioner in Mysore.

TO

The Secretary to the Government of
His Highness the Maharaja of Mysore,
General & Revenue Departments.

SIR,

Adverting to your letter No.R.1737/Agri.60-08-10 dated 24th August 1909 requesting me to report if Nandi Basappa and H.G.Basappa of Holehanawadi village, Shimoga Taluk are willing to get a ten horse power oil engine at a cost of Rs 3654/- the amount being advanced by Government as a loan, I have the honor to forward herewith copy of letter No.253 dated 15th September together with the statement in Kanarese in original obtained from the parties from the Deputy Commissioner, Shimoga stating that Nandi Basappa and H.G.Basappa are willing to buy the Engine referred to by taking the amount requifed to purchase the same as a loan from Government agreeing to repay it with the usual interest in ten equal annual instalments.

I have the honor to be,

Sir,

Your most obedient servant,

For Revenue Commissioner.

M.A.N.

1188.

Rev. Comr. Form 13.

Rev.

190 . 2370

Rev.

From

Rajakarya Pravina, Agri 60-08-11

A. RANGASWAMI IYENGAR Esq., B.A., B.L.,

Revenue Commissioner

in Mysore.

To

The Secretary to the Government of
H. H. the Maharaja of Mysore,
General & Revenue Departments.

Dated **21st September 1909.**

Despatched 23-9

Received

No. 3697

Enclosure No. 2

Forwards copy of Shimoga Deputy Commissioner's letter conveying the willingness of Nandi Basappa and H.G.Basappa to buy an Oil Engine of ten horse power in case Government advance money towards its cost

Caxton Press, Bangalore,—2000-2-09

Letter No.253 dated 15th September 1909 from the Deputy Commissioner, Shimoga District to the Revenue Commissioner in Mysore.

With reference to your letter No.2796 dated 26th August 1909 forwarding in original with enclosures letter No.R.1737/Agr 60-08-10 dated 24th August 1909 from the Secretary to Government General and Revenue Departments enquiring if Nandi Basappa and H.G. Basappa of Helehonnavadi village Shimoga Taluk are willing to get a ten horse power oil engine at a cost of Rs.3654/- for driving a 4" Centrifugal pump the amount being advanced by Government on their furnishing sufficient security, I have the honor to state that Nandi Basappa and H.G.Basappa are willing to buy the engine referred to by borrowing the amount required therefor as a Takkavi loan from Government on condition of repaying it with the usual interest in ten equal annual instalments and on furnishing sufficient security. The statement of the parties concerned to the above effect recorded before me is herewith submitted for information.

2. The original correspondence received with the above is herewith returned.

" C O P Y "

For Revenue Commissioner.

M.A.N.

ಅಧಿಕಾರಿಗಳು ಮತ್ತು ಸಿಬ್ಬಂದಿಗಳ ಸಭೆ

ಸ್ಥಳ : ಕೆಳಗಿನ ಮಹಡಿಯ ಸಭಾಂಗಣ

ಸಭೆಯಲ್ಲಿ ಹಾಜರಿದ್ದವರು : ಶ್ರೀ ಎಂ. ಎಸ್. ಪಾಟೀಲ್, ಜಿಲ್ಲಾಧಿಕಾರಿಗಳು, ಶ್ರೀ ಕೆ. ಆರ್. ಮೂರ್ತಿ, ಜಿಲ್ಲಾ ಪೊಲೀಸ್ ವರಿಷ್ಠಾಧಿಕಾರಿಗಳು, ಶ್ರೀಮತಿ ಎಲ್. ಜಿ. ಹಾವನೂರ, ಜಿಲ್ಲಾ ಪಂಚಾಯತ್ ಮುಖ್ಯ ಕಾರ್ಯನಿರ್ವಾಹಕ ಅಧಿಕಾರಿಗಳು, ಶ್ರೀ ಎಸ್. ಬಿ. ಕಲ್ಲೂರಮಠ, ಜಿಲ್ಲಾ ಶಸ್ತ್ರಚಿಕಿತ್ಸಕರು, ಡಾ. ಎಂ. ಎಸ್. ಕಾಮತ್, ಜಿಲ್ಲಾ ಆರೋಗ್ಯಾಧಿಕಾರಿಗಳು, ಡಾ. ಪಿ. ಎಸ್. ಹಿರೇಮಠ, ಜಿಲ್ಲಾ ಶಿಕ್ಷಣಾಧಿಕಾರಿಗಳು, ಶ್ರೀ ಎಂ. ಜಿ. ಹೆಗಡೆ, ಜಿಲ್ಲಾ ಕೃಷಿ ಅಧಿಕಾರಿಗಳು, ಶ್ರೀ ಎಚ್. ಕೆ. ಪಾಟೀಲ್, ಜಿಲ್ಲಾ ಪಶುವೈದ್ಯಾಧಿಕಾರಿಗಳು, ಡಾ. ಎಸ್. ಎಂ. ಕುಲಕರ್ಣಿ, ಜಿಲ್ಲಾ ಲೆಕ್ಕಾಧಿಕಾರಿಗಳು, ಶ್ರೀ ಆರ್. ಎಸ್. ಬಿರಾದಾರ, ಜಿಲ್ಲಾ ಸರ್ವೇಕ್ಷಣಾಧಿಕಾರಿಗಳು, ಶ್ರೀ ಎಂ. ಎಸ್. ಪಾಟೀಲ್, ಜಿಲ್ಲಾ ಅಭಿವೃದ್ಧಿ ಅಧಿಕಾರಿಗಳು, ಶ್ರೀ ಎಸ್. ಎಂ. ಕುಲಕರ್ಣಿ, ಜಿಲ್ಲಾ ಪಂಚಾಯತ್ ಉಪ ಕಾರ್ಯದರ್ಶ

[illegible]

[illegible]

[illegible]

H. G. Basappa.

Before me
Mukund Rao
Dy Commr
6.9.09

14

1446/09

2 / 3 Copies.

G.B.S. 28]

Agri File No. 60-08

Serial No. 12

Diary No. of letter replied to 2370

Proceedings of the Government of His Highness the Maharaja of Mysore.

GENERAL AND REVENUE SECRETARIAT.
(Agri.)

King &

, the 190

Date of issue 19th October 09

P. D'Souza.

READ—

Govt Order no R 5969-71 dated
Agri 78-07-2 dated the 10th March 1908
sanctioning the loan of an oil engine
and necessary plant, ~~stated to have~~
~~been available in~~ belonging to the P.W.D, to
Nandi Basappa and H.G. Basappa,
~~ORDER THEREON. NO.~~
of Halehanswadi Village, Shimoga Taluk
for irrigation purposes.

2) Correspondence ending with the
Rev. Comr's letter no 3697 dated
the 21st September 1909 on the further
representation of the same landholders
that, as the engine installed in their estate
~~on the~~ p† over

SUBJECT

GPB—10,000—10-4-06

pursuance of the above ~~above authority~~ order failed to
work a 4" or 3" C.I pump, the P.W.D
were trying to set up a 2" C.I
pump and as this could not
raise sufficient water for their
use, an engine capable of driving a
4" C.I pump might be obtained
for them from a firm they would
indicate.

Order thereon No R 3136-7 ✓

The Chief Engineer who was
consulted in the matter reported
that the 2" C.I pump was set up
as desired by the petitioners
themselves that an engine of 10 H.P
capable of driving a 4" C.I pump
could be had from Messrs Massey
and Co. Madras, and that
its price and installation charges
would amount to Rs 3654. The
Rev. Comr was then requested
to ascertain whether the petitioners
would have the above amount as
a loan on sufficient security, the
P.W.D. giving them the necessary aid

that in order to irrigate the lands of the petitioners a pump of greater capacity was necessary

which would be sufficient

& it was

152

16

G.R.S. 27]

GENERAL AND REVENUE SECRETARIAT.

(*Continuation Sheet draft form.*)

The Ch Engineer who was consulted in the matter states that the 2" C.I pump was set up at the request of the Petitioners and that as it does not possess sufficient capacity to irrigate all their land arrangements may be made through the Revenue dept to supply them with a bigger plant consisting of a 4" C.I pump and a 10 H.P oil engine to be had from Messrs Hosey and Co at a cost of Rs 3654. The Petitioners are reported to be willing to receive the amount as a loan for land improvement In consideration of the advantages that are likely to result from these experiments with oil-engines for irrigation that are pleased to sanction the grant as a loan under the L.I Loans Rules of Rs 3654 to the

MGCPB—30,000—5-4-05.

Petitioners on their furnishing adequate security & for repaying in the ~~same~~ in ten equal annual instalments together with interest. In order that they may be able to procure a proper plant they should be advised to get the engine and the pump through the P.W.D. The Ex Engineer is requested to arrange for ~~Dewan~~ Mr. V. Narayanamma Iyengar Executive Engineer Water-supply and Sewerage Division & giving the petitioners all necessary assistance by ~~in~~ setting up the plant and teaching them how to use it, subject to such conditions as he may deem necessary to prevent the machinery from being spoiled before it is started in proper working order.

The petitioners land owners should forthwith proceed with the work till it is finally set by the Executive Engineers Establishment and tries satisfactorily for a few days —

As the considerable cost has already been incurred in conveying the 2" pump & the engine already in use the Ex Engineer is requested to ascertain & report what extent of land

G.R.S. 27]

GENERAL AND REVENUE SECRETARIAT.

(*Continuation Sheet draft form.*)

they are
it is actually capable of irrigating and whether there would be any benefit in continuing to demonstrate the its working in the locality there. it is they are suitable anywhere else in the vicinity of Shemiga

Mr Owen
Secretary

7/10/07

To The Chief Engineer

JCPB—30,000—5-4-05.

Proceedings of the Government of His Highness the Maharaja of Mysore, Revenue (Agriculture), dated 19th October 1909.

READ—

1. Government Order No. R. 5969-71—Agri. 78-07-2, dated the 18th March 1908, sanctioning the loan of an oil-engine and the necessary plant belonging to the Public Works Department to Nandi Basappa and H. G. Basappa of the Halehanswadi village, Shimoga Taluk, for irrigation purposes.

2. Correspondence ending with the Revenue Commissioner's letter No. 3697, dated the 21st September 1909, on the representation of the same landholders that, as the engine installed in their estate in pursuance of the above order failed to work a 4" or 3" centrifugal pump, the Public Works Department were trying to set up a 2" centrifugal pump and as this could not raise sufficient water for their use, an engine capable of driving a 4" centrifugal pump might be obtained for them from a firm they would indicate.

No. R. 3136-7—Agri. 60-08-12, dated Bangalore, 19th October 1909.

Order thereon.—The Chief Engineer, who was consulted in the matter, states that the 2" centrifugal pump was set up at the request of the petitioners and that as it does not possess sufficient capacity to irrigate all their lands, arrangements may be made through the Revenue Department to supply them with a bigger plant consisting of a 4" centrifugal pump and a 10-H.P. oil-engine to be had from Messrs. Massey & Co., at a cost of Rs. 3,654. The petitioners are reported to be willing to receive the amount as a loan for land improvement. In consideration of the advantages that are likely to result from these experiments with oil-engines for irrigation, Government are pleased to sanction the grant of a loan of Rs. 3,654 under the Land Improvement Loans Regulation to the petitioners on their furnishing adequate security for repaying it in ten equal annual instalments together with interest. In order that they may be able to procure a proper plant they should be induced to get the engine and the pump through the Public Works Department. The Chief Engineer is requested to arrange for Mr. V. Rangaswami Iyengar, Executive Engineer, Water-Supply and Stores Division, giving the petitioners all necessary assistance by setting up the plant and teaching them how to use it. The petitioners should, of course, not interfere with the plant, till it is finally set by the Executive Engineer's establishment and tried satisfactorily for a few days.

2. As considerable cost has already been incurred in conveying the 2" pump and the engine already in use, the Chief Engineer is requested to ascertain and report what extent of land they are actually capable of irrigating, and whether there would be any benefit in continuing to demonstrate the working in the locality where they are installed or anywhere else in the vicinity of Shimoga.

K. S. CHANDRASEKHARA AIYAR,
Secy. to Govt., Gen. & Rev. Depts.

To—The Revenue Commissioner in Mysore.
The Chief Engineer of Mysore.

1909-10

GOVERNMENT OF HIS HIGHNESS
THE MAHARAJA OF MYSORE

REVENUE (AGRICULTURE)

PROCEEDINGS

Dated 19th October 1909

No. R. 3136-7 / Agri. 60-08-12

Sanctioning the grant of a loan of Rs. 3,654 to Nandi Basappa and H. G. Basappa of Halehanswadi, Shimoga Taluk, for purchasing an oil-engine and pump for irrigation purposes.

GPB—23-11-09—200